

A **SAFER** FUTURE



IATF 16949:2016

All of our products are carefully inspected and tested, meeting the **strict requirements** of both Brazilian and European ECE 13 Automotive standards.

A TECHNOLOGY THAT WORKS SO PERFECTLY ...

Brex was founded in 2005 and is located in the city of Rio de Janeiro. It is the South American Company leader in the production of pneumatic components for the brake and suspension systems for commercial heavy-duty vehicles, such as trailers and semitrailers. Our engineering is equipped with high-tech softwares for product development and also state-of-the-art eletronic tests in the production line.




SPECIALIZED
TECHNICAL ASSISTANCE



FAST DELIVERY




EFFICIENTAFTER SALES







SELF-STEERING AXLE CONTROL PANEL | PG 16 SELECT LOW VALVE WITH LOCKING FUNCTION | PG 25











TS MODULATOR | PG 6



RELAY VALVE | PG 22



...THAT YOU DIDN'T EVEN NOTICE IT WAS HERE! Supplier in 4 of the top 5 OEM in Latin America, choosing Brex you will have a solid partnership counting with more than 20 years of experience in this market.


Brex produces components that are carefully tested and inspected before the factory shipment, ensuring efficiency and durability of the products, providing fast delivery and a good after sales attendance.



SOUTH AMERICAN MARKET LEADER

FOLLOW
BREX ON
SOCIAL
MEDIA

PG PRODUCT	PG PRODUCT	PG PRODUCT	PG PRODUCT
MODULATORS AND ADJUSTERS	17 Suspender Panel – 1 valve	20 Emergency Relay Valve RE4	IN LINE FILTERS
6 TS Modulator (Trailer Stability)	17 Suspender Panel – 2 valves	21 Lift Axle Valves	26 In-Line Filters (By-Pass)
8 ABS Modulator - 2 nd Generation	17 Suspender Panel – 3 valves	22 Relay Valve	COUPLING HEADS
10 ABS Modulator - 1st Generation	17 Suspender Panel Support	22 Quick Release Valves	27 Manual Coupling Heads
11 Automatic Slack Adjuster	18 Self-Steering Panels	23 Levelling Valves	27 Automatic Coupling Heads
MULTIFUNCTION PANELS	18 NC Solenoid Pilot	23 Height Adjust Valve	ACCESSORIES
12 6G Multifunction Panel - 6 th Generation	CROWN SENSOR	23 Overflow Valve (Pressure Protection)	28 Manifold - 2 Outlets
14 5G Multifunction Panel Repairs - 5 th Generation	19 Gear Crown	24 Spring-Brake Protection Valve	28 Manifold - 4 Outlets
15 4G Multifunction Panel - 4 th Generation	19 ABS Sensor	24 2/2 Way Valve	28 Port Protector
15 3G Multifunction Panel - 3 rd Generation	GENERAL VALVES	24 3/2 Way Valves	28 One Way Valve w/o Return
15 2G Multifunction Panel - 2 nd Generation	19 Shunt/Release Valve	25 Two Way Valves	29 Bracket And Cover Assembly
15 Multifunction Panels Repairs / Replacements	19 Parking Valve	25 Select Low Valve	29 Plastic Cover
GENERAL PANELS	20 Shunt/Release Valve (2G/ 3G Panels)	26 Pressure Regulator Valve	
16 Self-Steering Panels	20 Parking Valve (3G/4G Panels)	26 Manometer With Glycerin	
16 Regulator Valve	20 Shunt/Release Valve (4G Panel)		













SMOOTH TRANSITION TO MEET THE STANDARD WITH THE BEST COST-BENEFIT

Working together with the ABS system, TS Brex brings more safety to the roads through vehicle stability control. With the TS it is possible to detect previously the threat of a tipover and prevent it, reducing the risk of accident.

CONTRAN N° 954

The legislation establishes that the stability control system becomes a mandatory safety item in new vehicles – in categories M1, M2, M3, N1, N2, N3, O3 and O4 – from January 2025.

Add the TS Brex module to your trailer's pneumatic circuit.

Available in 2 KIT versions for large compatibility with the requirements of production implements.

- MODULATOR KIT TS BREX 2S2M /4S2M KT020024
- MODULATOR KIT TS BREX 4S3M KT010024

4S3M application with the best price of the market!



+ ECONOMIC VIABILITY

to attend the new legislation, compared to other systems offered on the market.



+ SAFE ENVIRONMENT

for the driver during the route, lower risk of damaging cargo transported.

QUICK DIAGNOSIS



Reduce the time spent diagnosing the system using the "End Of Line Test", our exclusive solution that makes it faster to identify failures and errors, using this modern electronic system.

EASY MAINTENANCE



Brex is the lead supplier of pneumatic components for trailer's brake systems in Brazil. With a wide authorized technical assistance all over LATAM, the installation, maintenance and repair of our components are already well-known by it's agility in the process and easy aftermarket.

RP030024 SPEED SENSOR HARNESS MAIN POWER CABLE HARNESS MOD. 2S2M/4S2M MAIN POWER CABLE HARNESS MOD. 4S3M

Practicality of inclusion in your assembly line

Allow savings in installation costs and fast to install.

TS BREX MODULATOR



Download the installation manual



SIMPLICITY FROM INSTALLATION TO USE

The TS Brex installation is easy to adapt in the pneumatic circuit of your implement. Using simplified parameterization, it is possible to install the module already using the vehicle's information.



2ND GENERATION ABS MODULATOR



THE BEST ABS



Approved according to NBR ABNT 10966



Bivolt use with



Visual diagnosis using the green lamp

MODULATOR VALVE

VA020022 - 2S2M VA040022 - 4S2M

06 outlets M16X1,5mm
(03 lefts e 03 rights)
02 reservoirs M22X1,5mm
01 auxiliary output M12X1,5mm
01 pilot inlet M16X1,5mm
ISO 7638 Socket



FOR ALL APPLICATIONS

The Brex 2nd generation Anti-Lock Brake
System's (ABS) for trailers and semitrailers has the necessary characteristics
for installation on the most models on its
assembly line.





DIAGNOSTIC DEVICE

Reduces time in identifying faults and errors with a modern electronic system.



Going beyond the versality that it already had, the second generation of the Brex ABS now also counts with a **third electronic modulator**, allowing a costumized configuration for your implement.

3RD MODULATOR

VA010022

02 outlets M16X1,5mm 01 reservoir M22X1,5mm 01 entry M16X1,5mm Auxiliar Socket

ENHANCED SECURITY

Check the table below for some of the main trailer configurations, in circulation on the market, served by the BREX ABS.

COMERCIAL NAME	Stan	dard	Standard / "Bitrem" (rear)		Standar	d	"Vand	erléia"		Long \	/ehicle		"Prai	ncha"	"Dolly"	SR Fo	ourth de			"Julieta'	,		"Bitrer	∩" (front)
N° OF AXES	1	2	2			3			2	3	2	3	4	4	2		4	4		2	3	3	2	3
SUSPENSORS	()	1	0	1	2	1	2	(0		1	0		1	3	2	0	2	()		1	
WHIP				12	2M						15	M			6M	12	М	15	М			12M		
CONFIGURATION			25	2M			4S	3M				2S2M							4S3M				2S:	2M

EASY REPAIR

Brex is the market leader in Brazil of pneumatic components for the brake system of trucks, with an extensive authorized assistance and replacement throughout South America. Count on us to keep your implements moving!

CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION	
RP070022	ISO7638 12M POWER CORD	RP130018	2M - ISO7638 BITREM REAR POWER CORD.	RP160018	12/24 VOLT CONVERTER	
RP090022	ISO7638 3M POWER CORD EXTENDER	RP090018	3M - ISO7638 BITREM REAR POWER CORD. EXTENDER	RP110018CJ	GREEN LAMP POWER CORD	Brake Light Green Lamp
RP030022	"W" POWER CORD	RP200022	ISO7638 DOLLY 6M POWER CORD	IC020205	GREEN LAMP	
RP030022BT	"W" POWER CORD (BITREM)	RP140018	ELECTRIC SPIRAL	RP020022 2 SENSORS RP040022 4 SENSORS	24V ELECTRONIC UNIT REPAIR	
RP220022	3 RD MODULATOR 6M POWER CORD	RP640005	SPEED SENSOR 3M EXTENSION CABLE	RP010018	COMPLETE REPAIR OF MODULATORS (2ABS)	

1ST GENERATION ABS MODULATOR

AUTOMATIC SLACK ADJUSTER

VA010018:

Modulator Valve with Solenoids and ECU



CERTIFIED NBR ABNT 10966

PRODUCED IN BRAZIL WITH EUROPEAN ELECTRONIC UNIT

DISMISS THE USE OF "END OF LINE TEST" IN THE ASSEMBLY LINE

APPLICATION IN SEVERAL TYPES OF TRAILERS

RP020018: Electronic unit repair

RP010018: ABS Modulator full repair (2 ABS)

06 outlets M16X1,5mm

(03 lefts e 03 rights)

02 reservoirs M22X1,5mm

01 auxiliary output M12X1,5mm

01 pilot inlet M16X1,5mm

ISO 7638 Socket

MINIMUM SETTING TO COMPOSE THE ABS SYSTEM

CODE	REPAIR •
RP110018CJ	ISO1185 Connection Cable / Derivation Circuit Warning Lamp
RP030018CD	"Y" Power Cable
RP070018	ISO7638 Power Cable
RP640005	Speed Sensor Extender Cable
IC020205	Green Lamp

REQUIRED TO SETTLE DOUBLE TRAILLER OR DOLLY

CODE	REPAIR
RP110018CJ	ISO 7638 Extension Cable
RP030018CD	Supply/ Derivation ISO7638 Rear Double Trailer Cable
RP070018	Electric Spiral 2 (two) Male Plugs
RP640005	Supply Cable ISO 7638 Rear Connector

PROTECTS BRAKE SYSTEM AGAINST OVERHEATING

MAINTAINS THE IDEAL GAP BETWEEN THE BRAKE LINING AND DRUM APPLICATION IN TRAILERS
AND SEMI-TRAILERS

COMPENSATES WEAR OF BRAKE LINES

WIDE INSTALLATION COMPATIBILITY

Automatic Adjuster Kit + Fixed Point for Road Implements

⊢ KT500023

SLACK ADJUSTER
FOR ROAD IMPLEMENTS
WITH FIXED POINT

REPAIRS

CODE	REPAIR
RP110018CJ	Automatic Adjuster's Crown Gear Kit - for Road Implements
RP030018CD	Automatic Adjuster's Full Repair Kit - for Road Implements
RP070018	Automatic Adjuster's Control Unit Repair Kit - for Road Implements



6[™] GENERATION **MULTIFUNCTION PANEL**

Developed to be highly versatile, the 6th Generation Multifunction Panels are the only products on the market that group functions together, besides the mandatory ones, such as: valves for lift axle and pressure protection valve for vehicles with pneumatic suspension.


IN LINE FILTER (BY-PASS)



EMERGENCY VALVE

OVERFLOW VALVE (PRESSURE

PROTECTION VALVE)



SPRING-BRAKE **PROTECTION VALVE**

PARKING WALVE

LIFT AXLE VALVE (PUSH-PULL)

TWO WAY VALVE


REPAIR:

ASY SETUP A	ND REPLACEMENT		CODE	DESCRIPTION
ectly on the chassis		1	RP010020*	Pushbutton Switch Kit (includes 3 button colors)
	Or with the	2	RP010019	Emergency Function
• 🕲 🕲	bracket!	3	RP160020	Overflow Valve (pressure protection)
A TOWN TOWN			RP250005	Exhaust
12		5	RP020010	In Line Filter

COMPATIBLE All of the main functions of the trailer brake system were brought together in a single product, with only one source of supply and without the **need of auxiliary installations**. This was developed to custom the project of pneumatic solutions and to keep the 'set up' even easier and more reliable. It can be installed in two ways: directly on the vehicle's chassis or via support (using the bracket), with fixing and applications compatible with the previous generations of Brex panels or with panels from other brands available in the market. **→** RP020010

→ RP010019

ORIGINAL PRODUCT:



	CODE	WITH PRESSURE PROTECTION (FOR PNEUMATIC SUSPENSION)	AXLE VALVE JSH/PULL)	FIXATION	COMPATIBILITY (PLUG AND PLAY)
	PA 200020	NONE	NONE	Directly on the vehicle chassis	9710029000 (Wabco)
	PA 020020	T YES	NONE		PA020018 (5G)
	PA 030020	T YES	ONE VALVE	Directly on the vehicle chassis	PA030018 (5G)
	PA 040020	YES	TWO VALVES	0.1000.0	PA040018 (5G)
	PA 050020	NONE	NONE		PA050012 (4G) / PA050018 (5G)
	PA 060020	NONE	ONE VALVE	Directly on the vehicle chassis	PA060012 (4G) / PA060018 (5G)
	PA 070020	NONE	DOIS VALVES	CHUSSIS	PA070012 (4G) / PA070018 (5G)
	PA 220020	T YES	NONE		PA020018 (5G)
	PA 230020	T YES	ONE VALVE	With bracket (to support)	PA030018 (5G)
	PA 240020	T YES	TWO VALVES	()	PA040018 (5G)
	PA 250020	NONE	NONE		PA050012 (4G) / PA050018 (5G)
	PA 260020	NONE	ONE VALVE	With bracket (to support)	PA060012 (4G) / PA060018 (5G)
	PA 270020	NONE	TWO VALVES	(co support)	PA070012 (4G) / PA070018 (5G)
D.D.	010010 •				

The Brex 6G Panel has the advantage of a "plug and play" adaptability, it allows to replace from the oldest versions (4G or 5G) - or even a panel from another brand (competitor) - without new adaptations, no need for auxiliary connections or a pneumatic specialist. Just replace the old panel for the new Brex 6G Panel using the same drilling and hoses.

The repairs of the Brex 6G Panel are easy to handle and to adapt, they were developed to fix any panel component. That way, the maintenance is easily done and, after changing, the vehicle is ready to hit the road again.

PUSH/PULL VALVE

OBSERVATION: This valve is part of the 6G Panel.


CODE: PA190020

THREADS:

M16 x 1,5mm

FUNCTIONS:

REPAIR: RP010020 Lift Axle Valve (Push-Pull)




Fixed dire vehicle

6 6 •



REPAIRS OF THE 5TH GENERATION MULTIFUNCTION PANEL



→ (5) RP290005

01.e

02.e

03.e

04.e

05.e

06.e

07.e

08.e

	CODE	REPAIR
1	RP010019	Emergency Function
2	RP020019	Pre-assembled push/pull
3	RP020010	In Line Filter
4	RP250005	Exhaust
5	RP290005	Overflow Valve (pressure protection)
6	IC024805	Port Protector M16 x 1,5mm
7	IC024905	Port Protector M28 x 1,5mm

OBSERVATION:

CODE:

PA010018

THREADS:

M16 x 1,5mm

FUNCTIONS:

This valve is part of the 5G Panel.

Lift Axle Valve (Push-Pull)

4TH GENERATION MULTIFUNCTION PANEL



EPAIR	S:	

RP040010 RP250005 RP010010 RP010012 RP020012







FUNCTIONS: Two Way Emergency Valve

VALVES: THREADS:

M16 x 1,5mm

M16 x 1,5mm

M16 x 1,5mm

with By-Pass





PA050012

PA060012

PA070012



3TH GENERATION MULTIFUNCTION PANEL



Two Way Valve



(optional)

Parking Valve

Lift Axle Valve (Push-

Shunt/Release Valve -Pull Valve)

REPAIRS:

RP040010

RP250005

RP010010

RP020010

MULTIFUNCTION PANELS

2TH GENERATION MULTIFUNCTION PANEL



RP020010

VALVES: THREADS: CODE: PA040005 M16 x 1,5mm PA030005 M16 x 1,5mm PA070005 M16 x 1,5mm

FUNCTIONS:







Parking Valve





RANDON NOMA

(GUERRA) FACCHINI







RP010010



RP010012



RANDON NOMA (GUERRA) FACCHINI

Shunt/ Release Valve

080 RP020012

RP040010

REPAIR:

RP020019

IC024805 (6)

ORIGINAL PRODUCT:

RANDON

SELF-STEERING PANEL



OBSERVATION:

Self-Steering Axle Control Panel

CODE: PORTS:

PA010014 Tubo Ø10mm PA200014 Tubo Ø08mm

FUNCTIONS:



Self-Steering Panell

ITEM:



FACCHINI LIBRELATO AND OTHERS

BREX

SELF-STEERING PANEL



OBSERVATION:

Air Bag Regulator Panel

CODE: PORTS:

PA090014 Tubo Ø10mm PA220014 Tubo Ø08mm

FUNCTIONS:



Self-Steering Panell

ITEM:

NOMA

LIBRELATO

FACCHINI

(GUERRA) AND OTHERS

SUSPENDER PANEL - 1 VALVE



REPAIR:



RP020010

OBSERVATION:

Pneumatic Suspension Activation Panel 1 Valve (without support)


CODE: THREADS:

VA080024 M16 x 1,5mm / M12x1,5mm

FUNCTIONS:



Lift Axle Valve (Push-Pull Valve)



SUSPENDER PANEL - 2 VALVES

FUNCTIONS:



Lift Axle Valve (Push-Pull Valve)

SELF-STEERING PANEL

OBSERVATION:

Control Panels to regulate airbags PORTS:

PA100014 Tubo Ø10mm PA210014 Tubo Ø08mm

FUNCTIONS:



Self-Steering Panell

ITEM:



(GUERRA)



REGULATOR VALVE

OBSERVATION:

Pressure Regulator Valve with Manometer with Glycerin

CODE: THREADS: VA060016 1/8" BSP

VA060022 1/4" BSP

FUNCTIONS:



Pressure Regulator Valve

ITEM:



FACCHINI LIBRELATO

SUSPENDER PANEL - 3 VALVES

OBSERVATION:

Pneumatic Suspension Activation Panel 3 Valves (without support)

CODE: THREADS:

PA030024 M16 x 1,5mm / M12x1,5mm

FUNCTIONS:



Lift Axle Valve (Push-Pull Valve)

RP020010

REPAIR:

SUSPENDER PANEL SUPPORT

OBSERVATION:

Pneumatic Suspension Drive Panel Support - 3 Valves

CODE:

PA030124

*Example of applied support. Panel sold separately.

REPAIR:

SELF-STEERING PANEL





OBSERVATION:

Electronic activation of the Suspensor with 01 Solenoid, 01 Regulator and 01 Manual Actuator.

CODE: THREADS:

PA070024 M16 x 1,5 / M12 x 1,5

FUNCTIONS:



Self-Steering

SELF-STEERING PANEL





REPAIR:

BREX



OBSERVATION:

Electronic activation of the Suspensor with 01 Solenoid, 02 Regulators and 02 Manual Actuators.


CODE: THREADS: PA060024 M16 x 1,5 / M12 x 1,5

FUNCTIONS:



Self-Steering Panell

GEAR CROWN




CODE: RP660005





WHEEL SENSOR



Wheel Sensor

CODE: THREADS: IC028505 M16 x 1.5mm

16 X 40 mm X 90° x 500mm

FUNCTIONS:



SELF-STEERING PANEL





OBSERVATION:

Electronic activation of the Suspensor with 02 Solenoid, 02 Regulators and 02 Manual Actuators.

CODE: THREADS:

PA050024 M16 x 1.5 / M12 x 1.5

FUNCTIONS:



Self-Steering Panell



3/2 NC SOLENOID PILOT (ELETRICAL 3/2 WAY VALVE)

OBSERVATION:

3/2 NC Solenoid Pilot (24VCC w/ Plug and 2-Way Cable) (Eletrical 3/2 Way Valve)

CODE: THREADS:

VA130012 1/8" BSP

FUNCTIONS:



ITEM:



FACCHINI LIBRELATO AND OTHERS

SHUNT/RELEASE VALVE

CODE: VA320005

THREADS:

M16 x 1,5mm

FUNCTIONS:

ITEM:







RP720005




(GUERRA)

FACCHINI

REPAIR:

RP590005

PARKING VALVE



RP730005

THREADS: M16 x 1,5mm

FUNCTIONS:











FACCHINI





REPAIR:

SHUNT/RELEASE VALVE




REPAIR:

REPAIR:

RP020012

RP020010







RP010010





This valve is part of the 2G Panel and/or 3G Panel

CODE: THREADS:

VA010012 M16 x 1,5mm (ports 1 e 2) M12 x 1,5mm (ports 1-2)

FUNCTIONS:





ITEM:









PARKING VALVE



RP040010 RP250005 RP010010

REPAIR:

REPAIR:

RP080005

This valve is part of the 3G Panel and/or 4G Panel CODE:

THREADS:

VA020012 M16 x 1,5mm (ports) M12 x 1,5mm (assembly with other valves in the panel)

FUNCTIONS:

OBSERVATION:











(GUERRA) FACCHINI

LIFT AXLE VALVE (PUSH/PULL)



THREADS: VA030012 M16 x 1,5mm (ports)

M12 x 1,5mm (assembly with other valves in the panel)

FUNCTIONS:



Lift Axle Valve (Push-Pull Valve)











LIFT AXLE VALVE (PUSH/PULL)



RP010010

RP010010

OBSERVATION:

Panel application valve (2g, 3g and 4g panels)

THREADS:

M16 x 1,5mm (ports) VA090012

M12 x 1,5mm (assembly with other valves in the panel)

FUNCTIONS:



Lift Axle Valve (Push-Pull Valve)

ITEM:





OBSERVATION:

VA050014 Panel application

M16 x 1,5mm (outlet port) M12 x 1,5mm (inlet port)

valve





SHUNT/RELEASE VALVE



RP010012

OBSERVATION:

This valve is part of the 4G Panel

THREADS:

CODE:

VA120012

M16 x 1,5mm (ports 1, 2 end 3) M12 x 1,5mm (port 1-2)

FUNCTIONS:

































EMERGENCY RELAY VALVE



	CODE:	OUTLET:	THREADS:
	VA080005	3	M16 x 1,5mm M22 x 1,5mm
	VA010008	4	M16 x 1,5mm M22 x 1,5mm
0 0 56.05	VA060008	3	1/4" NPT 1/2" NPT



ITEM:





LIFT AXLE VALVE (PUSH/PULL)



LIFT AXLE VALVE (PUSH/PULL)

RP620005

REPAIR:

REPAIR:









RP590005

RP620005

REPAIR:















RP620005



CODE:

THREADS:



Lift Axle Valve (Push-Pull Valve)









RELAY VALVE





REPAIR: RP150023

REPAIR:

RP020005



CODE:

VA150023

THREADS:

M16 x 1,5mm M22 x 1,5mm

FUNÇÕES:



ITEM:





RELAY VALVE - PREVIOUS MODELS



Relay Valve Repair VA150022




Relay Valve Repair VA150029



Relay Valve Repair VA150005

NOTE: Previous relay valve models - apart from VA150023, were discontinued. You can still purchase the repairs "RP150005; RP150019 e RP150022. Contact us and check the availability and detailed compatibility of the models.

LEVELLING VALVE (W/O STOPPING STROKE)



THREADS:

M12 x 1,5mm



1 Levelling Valve

FUNCTIONS:

ITEM:

RANDON NOMA LIBRELATO GUERRA) FACCHINI AND OTHERS



RP560005

RP630005

RP550005

LEVELLING VALVE (W/STOPPING STROKE)



CODE:

VA050009

Levelling Valve

FUNCTIONS:

ITEM:

RANDON NOMA LIBRELATO

(GUERRA) FACCHINI AND OTHERS

OVERFLOW VALVE

RP560005

RP630005

RP550005

QUICK RELEASE VALVE



CODE: THREADS: M16 x 1,5mm VA020005

M16 x 1,5mm M22 x 1,5mm VA170005

VA200005 1/4" NPT 1/2" NPT

FUNCTIONS:



Release

ITEM:









QUICK RELEASE VALVE WITH LOCKING FUNCTION



REPAIR:

RP090008

OBSERVATION:

Quick release valve with locking function.

THREADS:

VA090008 M16 x 1,5mm M22 x 1,5mm

FUNCTIONS:



X Locking Function

ITEM:



(GUERRA) AND OTHERS

HEIGHT ADJUST VALVE



CODE:

VA060009

THREADS: M16 x 1,5mm

FUNCTIONS:



Levelling Valve

ITEM:



RP540005

ACCESSORIES:

REPAIR:

RP290005

FUNCTIONS:



CODE:

VA290005

THREADS:

M16 x 1,5mm

Pressure Protection Valve

ITEM:



RANDON NOMA AND OTHERS (GUERRA) FACCHINI

SPRING-BRAKE PROTECTION VALVE



REPAIR: RP250005



CODE:

VA250005

THREADS:

M16 x 1,5mm

FUNCTIONS:



ITEM:







2/2 WAY VALVE



REPAIR: RP070005

REPARO:

RP070005

CODE:

VA310005

THREADS:

M16 x 1,5mm

FUNCTIONS:



ITEM:







REPAIR: RP050008

REPAIR:

RP050016



ITEM:

CODE:

VA030008

THREADS:

M16 x 1,5mm

FUNCTIONS:

TWO WAY VALVE



Two Way Valve



TWO WAY VALVE



THREADS:



FUNCTIONS:











(GUERRA) FACCHINI

3/2 WAY VALVE



THREADS:

M16 x 1,5mm

FUNCTIONS:



REPARO: RP070005



ITEM:

(GUERRA) FACCHINI

RANDON NOMA AND OTHERS

BRES PNEUMATIC BRAKE SYSTEMS

DOUBLE 3/2 WAY VALVE



000



CODE:

VA060015

THREADS:

M16 x 1,5mm

FUNCTIONS:



ITEM:



NOMA FACCHINI AND OTHERS (GUERRA) LIBRELATO



SELECT LOW VALVE

CODE:



VA050016



FUNCTIONS:











SELECT LOW VALVE W/ LOCKING FUNCTION

300

REPAIR: RP050008

REPAIR:

RP040016

BRE

CODE:

VA040016 THREADS:

M16 x 1,5mm

FUNCTIONS:













PRESSURE REGULATOR VALVE



OBSERVATION:

The VA010020 part number replaces the old VA050012

CODE: THREADS:

VA010020 1/8" BSP VA030022 1/4" BSP

FUNCTIONS:



ITEM:

NOMA FACCHINI AND OTHERS

(GUERRA) LIBRELATO

MANOMETER WITH GLYCERIN



CODE:

IC015705

FIXATION:

External Thread 1/8" BSP

ITEM:

NOMA FACCHINI AND OTHERS

(GUERRA) LIBRELATO

EMERGENCY MANUAL COUPLING HEAD



CODE: VA230005

THREADS:

M16 x 1,5mm

FUNCTIONS:



REPAIR:



ITEM:

EMERGENCY AUTOMATIC COUPLING HEAD

RANDON NOMA LIBRELATO

(GUERRA) FACCHINI AND OTHERS

SERVICE MANUAL COUPLING HEAD



REPAIR:

REPAIR:

CODE: VA240005

THREADS: M16 x 1,5mm

FUNCTIONS:



Coupling Head

ITEM:

RANDON NOMA LIBRELATO


GUERRA FACCHINI AND OTHERS

IN LINE FILTER (BY-PASS)



CODE: BODY: THREADS: VA050022 Plastic M16 x 1,5mm

FUNCTIONS:



ITEM:



RANDON NOMA AND OTHERS (GUERRA) FACCHINI








REPAIR:







IN LINE FILTER (BY-PASS)



CODE: BODY: THREADS: VA050005 AluminiunM16 x 1,5mm VA070011 AluminiunM22 x 1,5mm

FUNCTIONS:








VA130005

CODE:

THREADS: M16 x 1,5mm

FUNCTIONS:









RP230005

SERVICE AUTOMATIC COUPLING HEAD



THREADS:

CODE:

VA140005

M16 x 1,5mm

FUNCTIONS:



Coupling Head





RANDON NOMA LIBRELATO GUERRA) FACCHINI AND OTHERS

REPAIR:

MANIFOLD WITH TWO OUTLETS



CODE:

VA070008

THREADS:

M16 x 1,5mm

FUNCTIONS:



ITEM:





MANIFOLD WITH FOUR OUTLETS



CODE:

VA080008

THREADS:

M16 x 1,5mm

FUNCTIONS:





RANDON NOMA LIBRELATO

GUERRA FACCHINI AND OTHERS

BRACKET AND COVER ASSEMBLY



CODE: VALVES PA010009 2 valves PA020009 3 valves

PA040009 4 valves

ITEM:

RANDON NOMA AND OTHERS



PLASTIC COVER

CODE: PA010107



ITEM:

RANDON NOMA

(GUERRA) FACCHINI

PORT PROTECTOR





CODE: THREADS:

IC028905 1/8" BSP

IC024905 M28x1,5mm















ONE WAY VALVE WITHOUT RETURN





M16 x 1,5mm

ITEM:









BRE



SELF-STEERING AXLE CONTROL PANELS

It pneumatically sets up the self-steering axle.



SLACK ADJUSTER

Automatically compensates the break lines detrition, adjusting its gap regarding the drum, avoiding unecessary friction and system overheating.



EMERGENCY VALVE

Automatically activates brake application in case of system depressurization.



QUICK RELEASE

Quick release of the compressed air from the brake chambers.



LOCKING FUNCTION

It does not allow the axle braking when it is raised/out of roll.



MANIFOLD

Distribution of compressed air from 1 inlet in 2 or more outlets.



TS - TRAILER STABILITY

Works together with the ABS to control the stability of the implement, enabling prior detection of possible tipping and its correction.



LIFT AXLE VALVE (PUSH-PULL VALVE)

Raises the axles to save tires when the vehicle is unloaded.



SPRING-BRAKE PROTECTION VALVE

Prevents the involuntary application of the parking brake ("spring-brake") when the pressure is below 5 bar.



TWO WAY VALVE

It is the anti-compound system of the braking modes, which is the double activation by the brake pedal and/or parking.



PRESSURE PROTECTION **VALVE**

It is used in the protection of the airbags when the vehicle is equipped with pneumatic suspension.



COUPLING HEAD

Allows the supply of compressed air to the towed vehicle (red/ emergency) and the brake control signal (yellow/service).



ABS - ANTI-LOCK BRAKE SYSTEM

Helps maintain control during emergency braking and improves efficiency in low grip conditions.



SHUNT/RELEASE VALVE

Used to move the vehicle without the need to pressurize the entire brake system.



RELAY VALVE

Braking modulation according to the signal received from the pedal/driver, it also decreases the response time in long/combined vehicles.



SELECT LOW VALVE

It has the function of a 3rd mechanical modulator, applied to the steered axle.



BREX

Regulates the pressure of the suspension airbags for vehicles with mixed suspension, or the pressure of the alignment airbags for selfsteering axle.



ABS SENSOR

Used in the ABS brake system to measure wheel speed on various trailer models.



PARKING VALVE

It allows the implement to be safely uncoupled.



SOLENOID PILOT

3/2 way normally closed electrically operated valve, used in the control of the self-steered axle.



LEVELING VALVE

Allows to keep the chassis height, regardless of load condition of the vehicle.



IN LINE FILTER **WITH BY-PASS**

Protects the pneumatic brake and suspension system.

FREIOSBREX.COM contato@fbrex.com.br

Attendance

+5

+55 21 3137-8606 +55 21 3924-5484



Engineering | +55 21 99734-7196 Commercial | +55 21 99872-4249 After-sales | +55 21 97107-0924 Exports | +55 21 99991-0855







/freiosbrex



Factory: St. Anequirá, 167 Cordovil | Rio de Janeiro CEP 21215-440 | Brazil

Office: Av. Abelardo Bueno, 1
Bloco Lagoa 1 | Offices 317/318
Dimension Office | Barra da Tijuca
Rio de Janeiro | CEP 22775-022 | Brazil